

Also Available from Oklahoma Sound



MODEL #111 PLS

For these and other OSC accessories, please contact your dealer, or:

OKLAHOMA SOUND

149 Entin Road, Clifton, NJ 07014 Tel 973-594-9000 • Fax 973-594-9339 www.oklahomasound.com • email: info@oklahomasound.com



Model # PRC200

Oklahoma Sound

Dear Valued Customer,

Thank you for your purchase. Although extreme care goes into manufacturing and packaging of this product, mistakes are possible. If you encounter any missing parts or difficulty in assembly, etc. please call our toll free customer service line at 1-800-261-4112 for courteous and immediate resolution to your problem.

Sincerely,

OKLAHOMA SOUND


Required Tools for Assembly

1) Crescent Wrench



149 Entin Road, Clifton, NJ 07014 • 973-594-9000 • Fax 973-594-9339 • e-mail: info@oklahomasound.com


1




Identify and seperate all parts and hardware before assembling unit. We recommend assembling unit on a secured raised surface, such as a tabletop. This will make the process of assemby easier.

Step 1: Place Top Shelf **(C)** upsidedown with insert nuts facing up.


Step 1A: Attach Right Side Assembly **(A)** and Left Side Assembly **(B)** using 4 # **(2)** screws.



Step 2: Align 4 L Brackets (1) with the edges of Middle Shelf (E) and attach using 4 # (2) screws as below. Note: Tight screws by hand.



Step 2A: Attach Right Shelf Bracket (H) and Left Shelf Bracket (I) to Laptop Shelf (D) using 4 # (2) screws as below.




Step 3 : Attach Lower Shelf (**F**) to the right and Left Side assemblies (**A** and **B**) using 4 # (**3**) screws.

(tighten by hand only)

Step 3A: Attach 2

Locking Casters (6) to the front, and two Casters (5) to the back of the unit. Tighten the casters using a crescent wrench.




5

Step 3B: Slide Middle Shelf **(E)** Between Right and Left Side Assemblies **(A and B)** and attach using 4 # **(2)** screws and 4 # **(4)** nuts as shown above. Tighten all screws well using the Allen wrench.

Step 4 : Turn over unit

Step 4A: Install Grommets (7) in Top Shelf (C) and in Middle Shelf (E).

Step 4B: To Adjust Laptop Shelf **(D)** lift shelf and remove and place at desired height.



8